

# Selected papers on marble microstructure, textures, physical properties, etc.

compiled by: Paolo Conti  
University of Siena, Italy  
conti@unisi.it

- AIDUN J.B. & GUPTA Y.M. (1989) - *Shear-Wave Measurements For Improved Characterization of Shock-Induced Phase-Transformations in Carrara Marble*. Geophysical Research Letters, **16** (2), 191–194.
- ÅKESSON U., LINDQVIST J., SCHOENBORG B. & GRELK B. (2006) - *Relationship between microstructure and bowing properties of calcite marble claddings*. Bulletin of Engineering Geology and the Environment, **65**, 73–79.
- ALBER M. & HAUPTFLEISCH U. (1999) - *Generation and visualization of microfractures in Carrara marble for estimating fracture toughness, fracture shear and fracture normal stiffness*. International Journal of Rock Mechanics and Mining Sciences, **36** (8), 1065–1071.
- ALI M.M., AGARWAL S.K., SOLANKEY A.K. & HANDOO S.K. (2000) - *High-performance, marble-like plaster coatings*. Cement and Concrete Research, **30** (6), 977–980.
- ATKINSON B.K. (1979) - *Fracture-Toughness of Tennessee Sandstone and Carrara Marble Using the Double Torsion Testing Method*. International Journal of Rock Mechanics and Mining Sciences, **16** (1), 49–53.
- ATTANASIO D. & PLATANIA R. (2000) - *ESR spectroscopy as a tool for identifying joining fragments of antique marbles: The example of a pulpit by Donatello and Michelozzo*. Journal of Magnetic Resonance, **144** (2), 322–329.
- AZZONI A., BAILO F., RONDENA E. & ZANINETTI A. (1996) - *Assessment of texture coefficient for different rock types and correlations with uniaxial compressive strength and rock weathering*. Rock Mechanics and Rock Engineering, **29**, 39–46.
- BANDINI M. (1993) - *Caratterizzazione geochimica, petrografica ed archeometrica del marmo di Carrara*. Tesi di Laurea, Università degli Studi di Modena.
- BARNHOORN A., BYSTRICKY M., BURLINI L. & KUNZE K. (2004) - *The role of recrystallisation on the deformation behaviour of calcite rocks: large strain torsion experiments on Carrara marble*. Journal of Structural Geology, **26** (5), 885–903.
- BARNHOORN A., BYSTRICKY M., BURLINI L. & KUNZE K. (2005) - *Post-deformational annealing of calcite rocks*. Tectonophysics, **403** (1-4), 167–191.
- BARONI C., BRUSCHI G., CRISCUOLO A. & RIBOLINI A. (2001) - *Il rischio geomorfologico indotto dall'attività estrattiva nei bacini marmiferi apuani (Alpi Apuane, Toscana)*. Atti della Società Toscana di Scienze Naturali, Memorie, Serie A, **107**, 87–96.
- BARONI C., BRUSCHI G. & RIBOLINI A. (2000) - *Human-induced hazardous debris flows in Carrara marble basins (Tuscany, Italy)*. Earth Surface Processes and Landforms, **25** (1), 93–103.
- BARSOTTELLI M., FRATINI F., GIORGETTI G., MANGANELLI DEL FÀ C. & MOLLI G. (1998) - *Microfabric and alteration in Carrara marble: a preliminary study*. Science and Technology for Cultural Heritage, **7**, 115–126.
- BATTAGLIA S., FRANZINI M. & MANGO F. (1993) - *High sensitivity apparatus for measuring linear thermal expansion: preliminary results on the response of marbles*. Il Nuovo Cimento, **16**, 453–461.
- BENEDETTI E., D'ALESSIO A., ZINI M.F., BRAMANTI E., TIRELLI N., VERGAMINI P. & MOGGI G. (2000) - *Characterization of acrylic resins and fluorocopolymer blends as potential materials in stone protection*. Polymer International, **49** (8), 888–892.
- BERTAGNINI A., FRANZINI M., GRATZIU C. & SPAMPINATO M. (1983) - *Sezioni lucide sottili o ultrasottili per lo studio al microscopio ottico delle rocce carbonatiche*. Atti della Società Toscana di Scienze Naturali, Memorie, Serie A, **90**, 9–13.

- BERTAGNINI A., FRANZINI M., GRATZIU C. & SPAMPINATO M. (1984) - *Il marmo cotto in natura e nei monumenti*. Rendiconti della Società Italiana di Mineralogia e Petrologia, **39**, 39–46.
- BONAZZA A., SABBIONI C., MESSINA P., GUARALDI C. & NUNTIIS P.D. (2009) - *Climate change impact: Mapping thermal stress on Carrara marble in Europe*. Science of The Total Environment, **407** (15), 4506–4512. doi:10.1016/j.scitotenv.2009.04.008.  
URL <http://www.sciencedirect.com/science/article/pii/S0048969709003477>
- BOUINEAU A. & PERRIER R. (1995) - *La décohésion granulaire, maladie des revêtements de façades en marbles*. Mines et Carrières - Industrie Minerale, **Aout-Septembre 1995**.
- BOULVAIS P., FOURCADE S., MOINE B., GRUAU G. & CUNNEY M. (2000) - *Rare-earth elements distribution in granulite-facies marbles: a witness of fluid-rock interaction*. Lithos, **53** (2), 117–126.
- BOZZI E. & BRAMANTI M. (2000) - *A planar applicator for measuring surface dielectric constant of materials*. Ieee Transactions On Instrumentation and Measurement, **49** (4), 773–775.
- BRAMANTI M. & BOZZI E. (2001) - *A Procedure to Detect Flaws inside Large Sized Marble Blocks by Ultrasound*. Subsurface Sensing Technologies and Applications, **2** (1), 1–13.
- BRUIJN R., KUNZE K., MAINPRICE D. & BURLINI L. (2011) - *Mechanical and microstructural development of Carrara marble with pre-existing strain variation*. Tectonophysics, **503** (1), 75–91.
- BRUSCHI G., CRISCUOLO A. & ZANCHETTA G. (2003) - *Stratigrafia delle discariche di detrito dei bacini marmiferi di Carrara. I ravaneti antichi di Carbonera, Strinato, Gioia e Scalocchiella*. Acta apuana, **2**, 26–32.
- BURLINI L. & KUNZE K. (2000) - *Fabric and seismic properties of Carrara marble mylonite*. Physics and Chemistry of the Earth ParActa Metallurgica Et Materialia, **25** (2), 133–139.
- CANTISANI E., CANOVA R., FRATINI F., MANGANELLI DEL FÀ C., MAZZUOLI R. & MOLLI G. (2000) - *Relationships between microstructures and physical properties of white Apuan marbles: inferences on weathering durability*. Periodico di Mineralogia, **69** (3), 257–268.
- CANTISANI E., FRATINI F., MALESANI P. & MOLLI G. (2005) - *Mineralogical and petrophysical characterisation of white Apuan marble*. Periodico di Mineralogia, **74** (2), 117 – 138.
- CANTISANI E., FRATINI F., MOLLI G. & PANDOLFI L. (2003) - *Sulla provenienza apuana del marmo di cippi funerari etruschi*. Acta apuana, **2**, 19–25.
- CANTISANI E., PECCHIONI E., FRATINI F., GARZONIO C.A., MALESANI P. & MOLLI G. (2009) - *Thermal stress in the Apuan marbles: Relationship between microstructure and petrophysical characteristics*. International Journal of Rock Mechanics and Mining Sciences, **46** (1), 128–137.
- CAPUZZI Q., CARRIERO M. & FAILLA S. (?) - *Ricerca Colativazione e Utilizzazione dei marmi Apuani*.
- CARDANI G. & MEDA A. (1999) - *Flexural strength and notch sensitivity in natural building stones: Carrara and Dionysos marble*. Construction and Building Materials, **13** (7), 393–403.
- CARMIGNANI L., CONTI P., FUOCO S., MARTINELLI L. & SEGATO D. (2000a) - *Studio geologico-strutturale e giacimentologico per la coltivazione di marmi a partire da una galleria di comunicazione stradale nelle Alpi Apuane centrali*. In: *Atti del Convegno su Le Cave di Pietre ornamentali*, pp. 51–58. GEAM - Associazione Georisorse e Ambiente, Torino, 28-29 novembre 2000.
- CARMIGNANI L., CONTI P. & MARTINELLI L. (2001a) - *Nuove tecniche di indagini geologiche per lo studio di coltivazioni di pietre ornamentali in sotterraneo*. In: *FIST-Geoitalia 2001*, pp. 382–384. Chieti, 5-8 Settembre 2001.
- CARMIGNANI L., CONTI P., MARTINELLI L., FUOCO S. & SEGATO D. (2001b) - *Geomechanical and structural-geological characterization of marble for underground quarrying from a road gallery in central Alpi Apuane (northern Appennines, Italy)*. In: P. SÄRKKÄ & P. ELORANTA (Eds.), *Rock Mechanics, a Challenge for Society*, pp. 327–332. Balkema Publishers, Lisse.
- CARMIGNANI L., MARTINELLI L. & SEGATO D. (2000b) - *Riduzione dell'impatto ambientale conseguente all'estrazione di marmi gialli sulla Montagnola senese*. Elsa Natura, **1**, 39–44.
- CARMIGNANI L., MECCHERI M. & PRIMAVORI P. (2005) - *Marbles and other ornamental stones from the Apuane Alps (northern Tuscany, Italy)*. Giornale di Geologia Applicata, **1**, 233–246.
- CHEN J. (1995) - *Effects of deformation on the compressibility and permeability of Carrara Marble*. Tesi di Laurea, Massachusetts Institute of Technology, Cambridge, MA.
- CHOPRA P., OLGAARD D. & PATERSON M. (1988) - *High temperature flow of Carrara marble: revisited*. EOS (Am. Geoph. Un. Trans.), **69**, 1417.

- CIARAPICA G. & PASSERI L. (1978) - *I Grezzoni del nucleo apuano; nascita, sviluppo e morte di una piattaforma carbonatica iperalina*. Bollettino della Società Geologica Italiana, **97** (4), 527–564.
- CNUDE V. & JACOBS P.J.S. (2004) - *Monitoring of weathering and conservation of building materials through non-destructive X-ray computed microtomography*. Environmental Geology, **46** (3 - 4), 477–485.
- COLI M. (1989) - *Litho-structural assemblage and deformation history of Carrara marble*. Bollettino della Società Geologica Italiana, **108** (4), 581–590.
- COLI M. & MATTEINI L. (1987) - *Structural analysis of the Carrara Marble in the Orto di Donna area (Apuan Alps, Northern Apennines, Italy)*. Abstracts - Geological Society of Australia, **19**, 108.
- CONTI P., GIAMELLO M., GUASPARRI G., MUGNAINI S., SABATINI G. & SCALA A. (2001a) - *Caratterizzazione petrografica e degrado dei marmi della Montagnola Senese: risultati preliminari*. In: *2° Congresso Nazionale Scienza e Beni Culturali*, pp. 73–74. Bologna, 29 Gennaio -1 Febbraio 2002.
- CONTI P., MOLLI G., CARMIGNANI L. & MECCHERI M. (2001b) - *Rapporti tra proprietà fisico-meccaniche e microstrutture e tessiture nei marmi delle Alpi Apuane (Toscana)*. In: *FIST-Geoitalia 2001*, pp. 395–396. Chieti, 5-8 Settembre 2001.
- CORTOPASSI A., MOLLI G. & OTTRIA G. (2006) - *Study of the brittle deformation in the Fantiscritti marble basin (Apuan Alps, Carrara, Italy) for the paleostress reconstruction—Studio della deformazione fragile nel bacino marmifero de Fantiscritti (Alpi Apuane, Carrara) finalizzato alla ricostruzione del campo di paleostress*. Geologia Tecnica & Ambientale, **2006** (1-2), 27–45.
- COSTAGLIOLA P., BENVENUTI M., MAINERI C., LATTANZI P. & RUGGIERI G. (1999) - *Fluid circulation in the Apuane Alps core complex: evidence from extension veins in the Carrara marble*. Mineralogical Magazine, **63**, 111–122.
- COSTAGLIOLA P., CIPRIANI C. & LATTANZI P. (1994) - *Preliminary fluid inclusion data on quartz from Carrara Marble, Tuscany, Italy*. In: *International Mineralogical Association, 16th General Meeting, Abstracts*, pp. 84–85. Pisa, Italy, Sept. 4-9, 1994.
- COVEY C.S.J. (1991) - *Static recovery of Carrara Marble*. Terra Abstracts, **3**, 76–77.
- COVEY-CRUMP S.J. (1994) - *The Application of Harts State-Variable Description of Inelastic Deformation to Carrara Marble At  $T < 450$  °C*. Journal of Geophysical Research, **99** (B10), 19793–19808.
- COVEY-CRUMP S.J. (1997a) - *The high temperature static recovery and recrystallization behaviour of cold-worked Carrara marble*. Journal of Structural Geology, **19** (2), 225–241.
- COVEY-CRUMP S.J. (1997b) - *The normal grain growth behaviour of nominally pure calcitic aggregates*. Contributions to Mineralogy and Petrology, **129**, 239–254.
- COVEY-CRUMP S.J. (1998) - *Evolution of mechanical state in Carrara marble during deformation at 400 °C to 700 °C*. Journal of Geophysical Research, **103** (B12), 29781–29794.
- DALBISSIN M.C., YOKOYAMA Y. & MASSOT J.C. (1994) - *Effect of Experimental Deformation On ESR-Spectrum of Carrara Marble - Application to Tectonized Marbles*. Comptes Rendus De L Academie Des Sciences Serie Ii, **318** (3), 405–410.
- D'ALBISSIN M.C., YOKOYAMA Y. & MASSOT J.C. (1994) - *Effet d'une deformation experimentale sur le spectre de resonance paramagnetique electronique (RPE) du marbre de Carrare et application aux marbres tectonises*. Comptes Rendus de l'Academie des Sciences, Serie 2, Sciences de la Terre et des Planetes, Earth and Planetary Sciences, **318** (3), 405–410.
- DANIN A. (1993) - *Biogenic weathering of marble monuments in Didim, Turkey and in trajan column, rome*. Water Science & Technology, **27** (7-8), 557–563.
- DAVINI P. (2000) - *Investigation into the desulphurization properties of by-products of the manufacture of white marbles of Northern Tuscany*. Fuel, **79** (11), 1363–1369.
- DE WALL H., BESTMANN M. & ULLEMEYER K. (2000) - *Anisotropy of diamagnetic susceptibility in Thassos marble: A comparison between measured and modeled data*. Journal of Structural Geology, **22** (11-12), 1761–1771.
- DEAN N.E. (1984) - *Archaeological geology and geochemistry of the Carrara Marble, Carrara, Italy*.
- DEBERGH J. (2000a) - *Ancient marble, vol 2, Quarries and work techniques. Provenance and distribution*. Latomus, **59** (1), 217–219.
- DEBERGH J. (2000b) - *Marble and color. A photographic guide. The marbles of the Podesta collection*. Latomus, **59** (1), 217–219.
- DECROUEZ D. & HAUSER P. (1994) - *Analysis of Galloroman Architectural Blocks From Avenches, Geneva and Nyon Museums*. Archives Des Sciences, **47** (3), 255–264.

- DEI L., MAURO M., BAGLIONI P., DEL FA C.M. & FRATINI F. (1999) - *Growth of crystal phases in porous media*. Langmuir, **15** (26), 8915–8922.
- DELL'ANGELO L.N., CASEY M. & OLGAARD D.L. (1991) - *Rheology and mechanisms in composite calcite samples; conditions for strain localization*. In: ANONYMOUS (Ed.), *Sixth meeting of the European Union of Geosciences*, vol. 3, p. 76. Blackwell Scientific Publications. Oxford, International., Strasbourg, March 24-281991.
- DEMIN V.M., MAIBUK Z.Y.Y. & LEMENTUEVA R.A. (2000) - *A waveguide method for the investigation of the elastic wave action on a newly formed crack*. Instruments and Experimental Techniques, **43** (3), 406–409.
- DISPERATI L., BARDUCCI A., SALVINI R., RINDINELLA A. & VIRDIS S. (2004) - *Lithology discrimination by means of MIVIS hyperspectral imagery; application to the Alpi Apuane (Northern Apennines, Italy) meta-sedimentary sequence*. International Geological Congress, Abstracts = Congres Geologique International, Resumes, **32, Part 2**, 1117 -. Carrara Italy;.
- DOE B.R., REDDY M.M. & EGGLESTON J.R. (1999) - *Pollution damage to the Powell Building, Reston, Virginia*. Materials Performance, **38** (12), 64–69.
- DOEHNE E. & PRICE C.A. (2010) - *Stone Conservation: An Overview of Current Research*. The Getty Conservation Institute, Los Angeles, 174 pp.
- DOLCI E. (1980) - *Carrara Cave Antiche*. Comune di Carrara, Carrara.
- DOLCI E. (1985) - *I marmi lunensi: tradizione, produzione, applicazioni*. Quaderni del Centro Studi Lunensi, **10-12**, 405–463.
- DOLCI E. (2003) - *Archeologia Apuana*. Lions Club, Aulla.
- DOLSKE D.A. (1995) - *Deposition of Atmospheric Pollutants to Monuments, Statues, and Buildings*. Science of the Total Environment, **167**, 15–31.
- DUERRAST H., SIEGESMUND S. & PRASAD M. (1999) - *Die Schadensanalyse von Naturwerksteinen mittels Ultraschalldiagnostik; Moeglichkeiten und Grenzen*. Zeitschrift der Deutschen Geologischen Gesellschaft, **150** (2), 359 – 374.
- EBERT A., GNOS E., RAMSEYER K., SPANDLER C., FLEITMANN D., BITZIOS D. & DECROUEZ D. (2010) - *Provenance of marbles from Nazos based on microstructural and geochemical characterization*. Archaeometry, **52** (2), 209–228.
- EICHERT D., VERGES-BELMIN V. & KAHN O. (2000) - *Electronic paramagnetic resonance as a tool for studying the blackening of Carrara marble due to irradiation by a Q-switched YAG laser*. Journal of Cultural Heritage, **1** (1), S37–S45.
- ERCOLI L., RIZZO G. & ALGOZZINI G. (2004) - *Petrography and decay of a marly limestone in the cloister of a medieval cathedral in Sicily*. Environmental Geology, **46** (3 - 4), 414–420.
- ERDOGAN M. (2000) - *Measurement of polished rock surface brightness by image analysis method*. Engineering Geology, **57** (1-2), 65–72.
- ERTAG - REGIONE TOSCANA (1980) - *I Marmi Apuani*. Nuova Grafica Fiorentina, Firenze.
- EVANS A. (1978) - *Microfracture from thermal expansion anisotropy - I. Single phase systems*. Acta Metallurgica, **26** (12), 1845–1853.
- EXADAKTYLOS G.E. & KAKLIS K.N. (2001) - *Applications of an explicit solution for the transversely isotropic circular disc compressed diametrically*. International Journal of Rock Mechanics and Mining Sciences, **38** (2), 227–243.
- EXADAKTYLOS G.E., VARDOULAKIS I. & KOURKOULIS S.K. (2001) - *Influence of nonlinearity and double elasticity on flexure of rock beams – II. Characterization of Dionysos marble*. International Journal of Solids and Structures, **38** (22-23), 4119–4145.
- FAIRHURST C. (2003) - *Stress estimation in rock: a brief history and review*. International Journal of Rock Mechanics and Mining Sciences, **40** (7-8), 957–973.
- FALASCHI R., GUASTALDI E. & LORDO A. (2001) - *Fotogrammetria digitale per l'analisi della fratturazione nei marmi apuani: esempi dal Carrarese*. In: *Controllo Ambientale della Attività di Cava per Lapidei Ornamentali in Importanti Bacini Estrattivi*, pp. 43–57. GEAM, Trani (BA), 20 novembre 2001.
- FASSINA V., FAVARO M. & NACCARI A. (2002) - *Principal decay patterns on Venetian monuments*. Geological Society Special Publications, **205**, 381 – 391.
- FERRERO A. & MARINI P. (2001) - *Experimental studies on the mechanical behaviour of two thermal cracked marbles*. Rock mechanics and Rock Engineering, **34** (1), 57–66.

- FRANZINI M. (1995) - *Stones in monument: natural and anthropogenic deterioration of marble artifacts*. European Journal of Mineralogy, **7**, 735–743.
- FRANZINI M., GRATZIU C. & SPAMPINATO M. (1984) - *Degradazione del marmo per effetto di variazioni di temperatura*. Rendiconti della Società Italiana di Mineralogia e Petrologia, **39**, 47–57.
- FRANZINI M., ORLANDI P., BRACCI G. & DALENA D. (1982) - *Die Mineralien des Marmors von Carrara*. Mineralien Welt, **3** (4), 16–46.
- FRANZINI M., ORLANDI P., BRACCI G. & DALENA D. (1987) - *Minerals of the Carrara Marble*. The Mineralogical Record, **18** (4), 263–296.
- FREDRICH J., EVANS B. & WONG T. (1989) - *Micromechanics of the brittle to plastic transition in Carrara Marble*. Journal of Geophysical Research, **94** (4), 4129–4145.
- FREZZOTTI M.L., DALLAI L. & SHARP Z.D. (2000) - *Fluid-inclusion and stable-isotope evidence for fluid infiltration and veining during metamorphism in marbles and metapelites*. European Journal of Mineralogy, **12** (1), 231–246.
- GERMANN K. & CRAMER T. (2005) - *Methoden der Herkunftsbestimmung fuer Naturwerksteine; das Beispiel des Marmors*. Zeitschrift der Deutschen Gesellschaft fuer Geowissenschaften, **156** (1), 25 – 31.  
URL <http://dx.doi.org/10.1127/1860-1804/2005/0156-0025>
- GRAEDEL T.E. (2000) - *Mechanisms for the atmospheric corrosion of carbonate stone*. Journal of the Electrochemical Society, **147** (3), 1006–1009.
- GRAMACCIOLI C. (1982) - *Marmor und zuckerkoerniger Dolomit; Muttergestein seltener Mineraldaten*. Mineralien Magazine, **6**, 439–445.
- GRIMM W. (1999) - *Beobachtungen und Überlegungen zur Verformung von Marmorprojekten durch Gefügebrauch*. Zeitschrift der Deutschen Geologischen Gesellschaft, **150** (2), 195–236.
- GRIMSICAR A. (1980) - *Temperature and mechanical deformations of Carrara Marble*. In: *International Association of Engineering Geology*. Madrid, Sept. 4-8, 1978.
- GUESSOUS Z. (1981) - *Comportement mecanique des roches fissurees; etude en traction directe d'un marbre de Carrare prefissure thermiquement*. Tesi di Laurea, Univ. Grenoble.
- GUPTA A. & SESHAGIRI RAO K. (2000) - *Weathering effects on the strength and deformational behaviour of crystalline rocks under uniaxial compression state*. Engineering Geology, **56**, 257–274.
- HAIMSON B. & CHANG C. (2000) - *A new true triaxial cell for testing mechanical properties of rock, and its use to determine rock strength and deformability of Westerly granite*. International Journal of Rock Mechanics and Mining Sciences, **37** (1-2), 285–296.
- HALLMANN C., RUEDRICH J., ENSELEIT M., FRIEDL T. & HOPPERT M. (2011) - *Microbial diversity on a marble monument; a case study*. Environmental Earth Sciences, **63** (7-8), 1701 – 1711. Hamburg Dammtor Germany;  
URL <http://dx.doi.org/10.1007/s12665-010-0772-3>
- HEARD H.C., TURNER F.J. & WEISS L.E. (1965) - *Studies of heterogeneous strain in experimentally deformed calcite, marble, and phyllite*. School of California Press, Berkeley,.
- HERWEGH M. (2000) - *A new technique to automatically quantify microstructures of fine grained carbonate mylonites: two-step etching combined with SEM imaging and image analysis*. Journal of Structural Geology, **22** (4), 391–400.
- HERZ N. & WAELENS M. (1988) - *Classical marble : geochemistry, technology, trade*, vol. NATO ASI series. Series E, Applied sciences. Kluwer Academic Publishers, Dordrecht.
- HOFFMANN A. & SIEGESMUND S. (2007) - *Investigation of dimension stones in Thailand; an approach to a methodology for the assessment of stone deposits*. Zeitschrift der Deutschen Gesellschaft fuer Geowissenschaften, **158** (3), 375 – 416.  
URL <http://dx.doi.org/10.1127/1860-1804/2007/0158-0375>
- HOKE G.D. & TURCOTTE D.L. (2004) - *The weathering of stones due to dissolution*. Environmental Geology (Berlin), **46** (3-4), 305 – 310. Eastern Australia;gravestones;incubation;  
URL <http://dx.doi.org/10.1007/s00254-004-1033-0>
- HOLZHAUSEN G.R. & JOHNSON A.M. (1979) - *The concept of residual stress in rock*. Tectonophysics, **58** (3-4), 237–267.
- HOMAND E.F. & TROALEN J.P. (1984) - *Behaviour of granites and limestones subjected to slow and homogeneous temperature changes*. Engineering Geology, **20** (3), 219–233.

- HOWARTH D. & ROWLANDS J. (1987) - *Quantitative assessment of rock texture and correlation with drillability and strength properties*. Rock Mechanics and Rock Engineering, **20**, 57–85.
- HUDSON J.A. & CORNET F.H. (2003) - *Special Issue on rock stress estimation*. International Journal of Rock Mechanics and Mining Sciences, **40** (7-8), 955.
- HUECKEL T., PEANO A. & PELLEGRINI R. (1994) - *A thermo-plastic constitutive law for brittle-plastic behavior of rocks at high temperatures*. Pure and Applied Geophysics, **143** (1-3), 483–511.
- JACOBS P., SEVENS E. & KUNNEN M. (1995) - *Principles of Computerized X-Ray Tomography and Applications to Building-Materials*. Science of the Total Environment, **167**, 161–170.
- JEANNETTE D. (2000) - *Originality of weathering mechanisms on the archaeological remains of Delos (Cyclades, Greece)*. Comptes Rendus De L Academie Des Sciences Serie Ii Fascicule a- Sciences De La Terre Et Des Planetes, **330** (10), 683–688.
- KAHRAMAN S. (2001) - *Evaluation of simple methods for assessing the uniaxial compressive strength of rock*. International Journal of Rock Mechanics and Mining Sciences, **In Press, Uncorrected Proof**.
- KAHRAMAN S., FENER M. & GUNAYDIN O. (2002) - *Predicting the Schmidt hammer values of in-situ intact rock from core sample values*. International Journal of Rock Mechanics and Mining Sciences, **39** (3), 395–399.
- KARAGOZ S. & ZEREN M. (2001) - *The property optimization of diamond-cutting tools with the help of micro-structural characterization*. International Journal of Refractory Metals and Hard Materials, **19** (1), 23–26.
- KATZ O., RECHES Z. & ROEGIER J.C. (2000) - *Evaluation of mechanical rock properties using a Schmidt Hammer*. International Journal of Rock Mechanics and Mining Sciences, **37** (4), 723–728.
- KESSLER D.W. (1919) - *Physical and chemical tests on the commercial marbles of the United States, Technologic Papers of the Bureau of Standards*, vol. 123. Government Printing Office, Washington.
- KESSLER D.W. (1927) - *A study of problems relating to the maintenance of interior marble*. U.S. Govt. Print. Off., Washington,.
- KOCH A. (2005) - *Deformation von Fassadenplatten aus Marmor: Schadenskartierungen und gesteintechnische Untersuchungen zur Verwitterungsdynamik von Marmorfassaden*. Tesi di Dottorato, University of Göttingen.
- KOCH A. & SIEGSMUND S. (2002) - *Bowing of marble panels; on-site damage analysis from the Oeconomicum Building at Goettingen (Germany)*. In: S. SIEGSMUND, T. WEISS & A. VOLLBRECHT (Eds.), *Natural Stone, Weathering Phenomena, Conservation Strategies and Case Studies, Geological Society Special Publications*, vol. 205, pp. 299–314. The Geological Society of London.
- KOCH A. & SIEGSMUND S. (2004) - *The combined effect of moisture and temperature on the anomalous expansion behaviour of marble*. Environmental Geology (Berlin), **46** (3-4), 350–363.
- KOCH-MOECK M. & GERMANN K. (2007) - *Geowissenschaftliche Optimierung der untertaegigen Gewinnung von Marmor*. Zeitschrift der Deutschen Gesellschaft fuer Geowissenschaften, **158** (3), 491 – 500.  
URL <http://dx.doi.org/10.1127/1860-1804/2007/0158-0491>
- KYRITSIS A., SIAKANTARI M., VASSILIKOU-DOVA A., PISSIS P. & VAROTSOS P. (2000) - *Dielectric and electrical properties of polycrystalline rocks at various hydration levels*. Ieee Transactions On Dielectrics and Electrical Insulation, **7** (4), 493–497.
- LAPUENTE M.P., TURI B. & BLANC P. (2000) - *Marbles from Roman Hispania: stable isotope and cathodoluminescence characterization*. Applied Geochemistry, **15** (10), 1469–1493.
- LEE H.S., PARK Y.J., CHO T.F. & YOU K.H. (2001) - *Influence of asperity degradation on the mechanical behavior of rough rock joints under cyclic shear loading*. International Journal of Rock Mechanics and Mining Sciences, **In Press, Uncorrected Proof**.
- LEISS B. & MOLLI G. (2003) - *“High-temperature” texture in naturally deformed Carrara marble from the Alpi Apuane, Italy*. Journal of Structural Geology, **25** (4), 649–658.
- LEISS B., OLESEN N.O., SCHMIDT N.H., SIEGSMUND S. & WEBER K. (1991) - *Fabric analysis of a dolomitic mylonite*. Terra Abstracts, **3, Suppl. 5**, 23. Corona Formation;.
- LEISS B., SIEGSMUND S. & WEBER K. (1993) - *Kinematic significance of texture and grain fabric of polyphase deformed dolomite marbles*. Terra Abstracts, **5, Suppl. 2**, 21 –.
- LEISS B. & ULLEMEYER K. (1999) - *Texture characterisation of carbonate rocks and some implications for the modeling of physical anisotropies, derived from idealized texture types*. Zeitschrift der Deutschen Geologischen Gesellschaft, **150** (2), 259–274.

- LEISS B. & WEISS T. (2000) - *Fabric anisotropy and its influence on physical weathering of different types of Carrara marbles*. *Journal of Structural Geology*, **22**, 1737–1745.
- LIU J., WALTER J.M. & WEBER K. (2002) - *Fluid-enhanced low-temperature plasticity of calcite marble: Microstructures and mechanisms*. *Geology*, **30** (9), 787–790.
- LIU M. & EVANS B. (1997) - *Dislocation recovery kinetics in single-crystal calcite*. *Journal of Geophysical Research*, **102** (B11), 24801–24809.
- LIJUNGGREN C., CHANG Y., JANSON T. & CHRISTIANSSON R. (2003) - *An overview of rock stress measurement methods*. *International Journal of Rock Mechanics and Mining Sciences*, **40** (7-8), 975–989.
- LOGAN J., HASTEDT M., LEHNERT D. & DENTON M. (1993) - *A case study of the properties of marble as building veneer*. *International Journal of Rock Mechanics and Mining Sciences*, **30** (7), 1531–1537.
- LOGAN J.M. (2004) - *Laboratory and case studies of thermal cycling and stored strain on the stability of selected marbles*. *Environmental Geology*, **46** (3-4), 456 – 467.
- LORENZONI V., MANCINI, CONTI P., MASSA G. & CARMIGNANI L. (2011) - *The Mt. Altissimo Marbles (Alpi Apuane, Northern Tuscany, Italy): new field data and occurrence*. *Rendiconti online della Società Geologica Italiana*, **15**, 71–73.
- LU C. & JACKSON I. (1996) - *Seismic-frequency laboratory measurements of shear mode viscoelasticity in crustal rocks .1. Competition between cracking and plastic flow in thermally cycled Carrara marble*. *Physics of the Earth and Planetary Interiors*, **94** (1-2), 105–119.
- LUQUE A., CULTRONE G., MOSCH S., SIEGESMUND S., SEBASTIAN E. & LEISS B. (2010) - *Anisotropic behaviour of White Macael marble used in the Alhambra of Granada (Spain); the role of thermohydric expansion in stone durability*. *Engineering Geology*, **115** (3-4), 209 – 216.  
URL <http://dx.doi.org/10.1016/j.enggeo.2009.06.015>
- LUQUE A., RUIZ-AGUDO E., CULTRONE G., SEBASTIAN E. & SIEGESMUND S. (2011) - *Direct observation of microcrack development in marble caused by thermal weathering*. *Environmental Earth Sciences*, **62** (7), 1375–1386.
- MACGREGOR I.D. & CHIU K.Y. (2000) - *Porosity and wear resistance in stone flooring tiles*. *Journal of Testing and Evaluation*, **28** (3), 149–154.
- MAHMUTOGLU Y. (1998) - *Mechanical Behaviour of Cyclically Heated Fine Grained Rock*. *Rock Mechanics and Rock Engineering*, **31**, 169–179.
- MALAGA-STARZEC K., LINDQVIST J.E. & SCHOUENBORG B. (2002) - *Experimental study on the variation in porosity of marble as a function of temperatures*. In: S. SIEGESMUND, T. WEISS & A. VOLLBRECHT (Eds.), *Natural Stone, Weathering Phenomena, Conservation Strategies and Case Studies, Geological Society Special Publications*, vol. 205, pp. 81–88. The Geological Society of London.
- MANCINI S. (2005) - *Note geologiche su due marmi rari del carrarese: il Nero di Colonnata e il Rosso di Castelpoggio*. *Acta Apuana*, **IV-V**, 79–83.
- MARINI P. & BELLOPEDE R. (2009) - *Bowing of marble slabs: Evolution and correlation with mechanical decay*. *Construction and Building Materials*, **23** (7), 2599 – 2605. doi:10.1016/j.conbuildmat.2009.02.010.  
URL <http://www.sciencedirect.com/science/article/pii/S0950061809000427>
- MCNEILL G.W. (1999) - *Variations in the weathering rate of Scottish gravestones as an environmental signature of atmospheric pollution*. *Environmental Geochemistry and Health*, **21** (4), 365–370.
- MECCHERI M., BELLAGOTTI E., CONTI P., DUMAS F., MANCINI S. & MOLLI G. (2004) - *The Mt. Altissimo Marbles (Apuane Unit, northern Tuscany, Italy): merceological types and structural setting*. In: *32° IGC, Firenze 20-28.08.2004, Abstracts*, pp. 285–286.
- MECCHERI M., MOLLI G., CONTI P., BLASI P. & VASELLI L. (2007) - *The Carrara Marbles (Alpi Apuane, Italy): a geological and economical updated review*. *Z. dt. Ges. Geowiss.*, **158** (4), 719–735.
- MICHELUCCHINI M., MORETTI A., PANTI F. & CARTEI B. (1981) - *I Marmi della Montagnola Senese*. Amministrazione Provinciale di Siena, Siena.
- MOLLI G., CONTI P., GIORGETTI G. & MECCHERI M. (1999a) - *Microstructure development in naturally deformed Carrara marble*. In: *Deformation Mechanism, Rheology and Microstructures*, p. 122. Nuestadt an der Weinstrasse (D), 22.-26.3.1999.
- MOLLI G., CONTI P., GIORGETTI P., MECCHERI M. & OESTERLING N. (1999b) - *Microstructure evolution in marble tectonites within a crustal-scale shear zone (Alpi Apuane, Italy)*. *Journal of Conference Abstracts*, **4**, 727.

- MOLLI G., CONTI P., GIORGETTI P., MECCHERI M. & OESTERLING N. (2000) - *Microfabric study on the deformational and thermal history of the Alpi Apuane marbles (Carrara marbles), Italy*. Journal of Structural Geology, **22**, 1809–1825.
- MOLLI G., CONTI P., OESTERLING N., HEILBRONNER R. & STÜNITZ H. (2001) - *I marmi delle Alpi Apuane: caratterizzazione microstrutturale e considerazioni sulla loro evoluzione tettono-metamorfica*. In: *FIST-Geoitalia 2001*, pp. 531–532. Chieti, 5-8 Settembre 2001.
- MOLLI G., CORTECCI G., VASELLI L., OTTRIA G., CORTOPASSI A., DINELLI E., MUSSI M. & BARBIERI M. (2010) - *Fault zone structure and fluid-rock interaction of a high angle normal fault in Carrara marble (NW Tuscany, Italy)*. Journal of Structural Geology, **32**, 1334–1348.
- MOLLI G. & HEILBRONNER PANOZZO R. (1999) - *Microstructures associated with static and dynamic recrystallization of Carrara marble (Alpi Apuane, NW Tuscany Italy)*. Geologie en Mijnbouw, **78**, 119–126.
- MONTEIRO P.J.M., OSTERTAG C.P., NIELSON U. & COHEN J. (2001) - *Fatigue susceptibility of marble*. Materials and Design, **22** (5), 393–398.
- MORONI B., PITZURRA L. & POLI G. (2004) - *Microbial growth and air pollutants in the corrosion of carbonate building stone: results of laboratory and outdoor experimental tests*. Environmental Geology, **46** (3 - 4), 436–447.
- MUGNAINI S., GIAMELLO M., GUASPARRI G., SABATINI G., SCALA A. & CONTI P. (2004) - *The Montagnola Senese marbles (Siena, Italy). Study of the microfabric and physical decay processes*. In: *10th International Congress on Deterioration and Conservation of Stone*, pp. 147–154. Stockholm, 2004.
- NOVER G., HEIKAMP S. & FREUND D. (2000) - *Electrical impedance spectroscopy used as a tool for the detection of fractures in rock samples exposed to either hydrostatic or triaxial pressure conditions*. Natural Hazards, **21** (2-3), 317–330.
- OESTERLING N. (2004) - *Dynamic Recrystallization and Deformation Mechanisms of Naturally Deformed Carrara Marble. A Study on One- and Two-Phase Carbonate Rocks*. Tesi di Dottorato, University of Basel, Switzerland.
- OLSON J.E. (1993) - *Joint pattern development - effects of subcritical crack growth and mechanical crack interaction*. Journal of Geophysical Research, **98** (B7), 12251–12265.
- OLSSON W.A. (2000) - *Origin of Luders' bands in deformed rock*. Journal of Geophysical Research, **105** (B3), 5931–5938.
- ONDRASINA J., KIRCHNER D. & SIEGISMUND S. (2002) - *Freeze-thaw cycles and their influence on marble deterioration; a long-term experiment*. In: S. SIEGISMUND, T. WEISS & A. VOLLBRECHT (Eds.), *Natural Stone, Weathering Phenomena, Conservation Strategies and Case Studies, Geological Society of London Special Publications*, vol. 205, pp. 9–18. The Geological Society, London.
- ORD A. (1991) - *Deformation of Rock - a Pressure-Sensitive, Dilatant Material*. Pure and Applied Geophysics, **137** (4), 337–366.
- ORKOULA M.G. & KOUTSOUKOS P.G. (2000) - *Dissolution of pentelic marble at alkaline pH*. Langmuir, **16** (18), 7263–7267.
- ORLANDI P. (2004) - *Carraraite, zaccagnaite, IMA 98-033 e altre specie rinvenute nelle gedi dei marmi apuani*. Rivista Mineralogica Italiana, **1/2004**, 24–27.
- OTTO M., HIRT A.M., LEISS B., SCHMIDT V. & WALTER J.M. (2006) - *Correlation of magnetic fabric and crystallographic preferred orientations of naturally deformed carbonate-mica rocks from the Alpi Apuane in Italy and the Damara Orogen in Namibia*. Symposium Tektonik, Struktur- und Kristallingeologie, **11**, 156 – 158.
- OYHANTCABAL P., SIEGISMUND S., STEIN K.J. & SPOTURNO J. (2007) - *Dimensional stones in Uruguay; situation and perspectives*. Zeitschrift der Deutschen Gesellschaft fuer Geowissenschaften, **158** (3), 417 – 428.  
URL <http://dx.doi.org/10.1127/1860-1804/2007/0158-0417>
- PASCHOS G. (2000) - *Fast color texture recognition using chromaticity moments*. Pattern Recognition Letters, **21** (9), 837–841.
- PATERSON M.S. & OLGAARD D.L. (2000) - *Rock deformation tests to large shear strains in torsion*. Journal of Structural Geology, **22**, 1341–1358.
- PAVESE A., CATTI M., PARKER S.C. & WALL A. (1996) - *Modelling of the thermal dependence of structural and elastic properties of calcite, CaCO<sub>3</sub>*. Physics and Chemistry of Minerals, **23** (2), 89–93.



- PEACOCK S., MCCANN C., SOTHCOTT J. & ASTIN T.R. (1994) - *Seismic Velocities in Fractured Rocks - an Experimental- Verification of Hudson Theory*. Geophysical Prospecting, **42** (1), 27–80.
- PEADCOCK S., MCCANN C., SOTHCOTT J. & ASTIN T.R. (1994) - *Experimental Measurements of Seismic Attenuation in Microfractured Sedimentary-Rock*. Geophysics, **59** (9), 1342–1351.
- PFAAR R., LEISS B., MOLLI G. & WALTER J.M. (2006) - *Gefuegecharakterisierung von Calcitmyloniten und Marmoren bezueglich senkrecht zueinander stehender Faltenteilstrukturen, Alpi Apuane, Italien*. Symposium Tektonik, Struktur- und Kristallingeologie, **11**, 161 – 164.
- PIERI M., BURLINI L., KUNZE K., STRETTON I. & OLGAARD D. (2001a) - *Rheological and microstructural evolution of Carrara marble with high shear strain: results from high temperature torsion experiments*. Journal of Structural Geology, **23**, 1393–1413.
- PIERI M., KUNZE K., BURLINI L., STRETTON I., OLGAARD D.L., BURG J.P. & WENK H.R. (2001b) - *Texture development of calcite by deformation and dynamic recrystallization at 1000 °K during torsion experiments of marble to large strains*. Tectonophysics, **330** (1-2), 119–140.
- POHL W. & SCHNEIDER J. (2005) - *Geochemische Einfluesse endolithischer Mikroorganismen auf Gesteinsoberflaechen*. Zeitschrift der Deutschen Gesellschaft fuer Geowissenschaften, **156** (1), 81 – 92.  
URL <http://dx.doi.org/10.1127/1860-1804/2005/0156-0081>
- PRIKRYL R. (2001) - *Some microstructural aspects of strength variation in rocks*. International Journal of Rock Mechanics and Mining Sciences, **38**, 671–682.
- RAMEZ M. & MURRELL S. (1964) - *A petrofabric analysis of Carrara marble*. International Journal of Rock Mechanics and Mining Sciences, **1**, 217–229.
- REXIN E., LEISS B. & MOLLI G. (1999) - *Microstructures and textures of the Carrara Syncline, Alpi Apuani, Italy*. Goettinger Arbeiten zur Geologie und Palaeontologie. Sonderband, **4**, 163 – 164.
- RINNE D. (1976) - *The conservation of ancient marble*. J. Paul Getty Museum, [Malibu, Calif.].
- ROELS S., CARMELIET J., HENS H. & ELSÉN J. (2000) - *Microscopic analysis of imbibition processes in oolitic limestone*. Geophysical Research Letters, **27** (21), 3533–?
- ROSENHOLTZ J.L. & SMITH D.T. (1949) - *Linear thermal expansion of calcite, var. iceland spar, and Yule marble*. American Mineralogist, **34**, 846–854.
- ROSENHOLTZ J.L. & SMITH D.T. (1950) - *Crestmore sky blue marble, its linear thermal expansion and color*. American Mineralogist, **35**, 1049–1054.
- ROYER-CARFAGNI G. (1999a) - *On the thermal degradation of marble*. International Journal of Rock Mechanics and Mining Sciences, **36** (1), 119–126.
- ROYER-CARFAGNI G. (1999b) - *Some considerations on the warping of marble facades: The example of Alvar Aalto's Finland Hall in Helsinki*. Construction and Building Materials, **13**, 449–457.
- ROYER-CARFAGNI G. & SALVATORE W. (2000a) - *Characterization of marble by cyclic compression loading: experimental results*. Mechanics of Cohesive-Frictional Materials, **5** (7), 535–563.
- ROYER-CARFAGNI G. & SALVATORE W. (2000b) - *The Characterization of marble by cyclic compression loading: experimental results*. Studi e Ricerche. Dipartimento di Ingegneria Strutturale, Università di Pisa, **4**, 1–32.
- RÜDRICH J. (2003) - *Gefügekонтроllierte Verwitterung natürlicher und konservierter marmore*. Tesi di Dottorato, Georg-August University Göttingen.
- RÜDRICH J., RIEFFEL Y., PIRSKAWETZ S., ALPERMANN H., JOKSCH U., GENGNAGEL C., WEISE F., PLAGGE R., ZHAO J. & SIEGSMUND S. (2011) - *Development and assessment of protective winter covers for marble statuaries of the Schlossbrücke, Berlin (Germany)*. Environmental Earth Sciences, **63** (7-8), 1823–1848.
- RÜDRICH J., SIEGSMUND S. & RICHTER D. (2001a) - *Marble columns and their state of weathering; structural evidence and ultrasonic tomography*. Zeitschrift der Deutschen Geologischen Gesellschaft, **152** (2-4), 665 – 680.
- RÜDRICH J., SIEGSMUND S. & WEISS T. (2005) - *Die Marmore des Marmorpalais im Neuen Garten Potsdam; Erhaltungszustand und Moeglichkeiten der Konservierung*. Zeitschrift der Deutschen Gesellschaft fuer Geowissenschaften, **156** (1), 129 – 139.  
URL <http://dx.doi.org/10.1127/1860-1804/2005/0156-0129>
- RÜDRICH J., WEISS T. & SIEGSMUND S. (2001b) - *Deterioration characteristics of marbles from the Marmorpalais Potsdam (Germany); a compilation*. Zeitschrift der Deutschen Geologischen Gesellschaft, **152** (2-4), 637–663.

- RÜDRICH J., WEISS T. & SIEGESMUND S. (2002) - *Thermal behaviour of weathered and consolidated marbles*. In: S. SIEGESMUND, T. WEISS & A. VOLLBRECHT (Eds.), *Natural Stone, Weathering Phenomena, Conservation Strategies and Case Studies, Geological Society Special Publications*, vol. 205, pp. 255–271. The Geological Society of London.
- RUTTER E.H. (1995) - *Experimental study of the influence of stress, temperature, and strain on the dynamic recrystallization of Carrara marble*. *Journal of Geophysical Research*, **100**, 24651–24663.
- SABBIONI C., ZAPPÀ G. & GOBBI G. (1996) - *Carbonaceous particles and stone damage in a laboratory exposure system*. *Journal of Geophysical Research-Atmospheres*, **101** (D14), 19621–19627.
- SASTNA A., PRIKRYL R. & CERNIKOVA A. (2011) - *Comparison of quantitative petrographic, stable isotope and cathodoluminescence data for fingerprinting Czech marbles*. *Environmental Earth Sciences*, **63** (7-8), 1651 – 1663.  
URL <http://dx.doi.org/10.1007/s12665-010-0896-5>
- SCHIEFFZUEK C., SIEGESMUND S., NIKOLAYEV D.I. & HOFFMANN A. (2007) - *Texture, spatial and orientation dependence of internal strains in marble; a key to understanding the bowing of marble panels?* In: R. PRIKRYL & B.J. SMITH (Eds.), *Building Stone Decay: From Diagnosis to Conservation, Geological Society of London Special Publications*, vol. 271, pp. 237–249. Geological Society of London.
- SCHIEFFZÜK C.C., SIEGESMUND S. & KOCH A. (2004) - *Strain investigations on calcite marbles using neutron time-of-flight diffraction*. *Environmental Geology*, **46** (3-4), 468–476.
- SCHIAVON N., CHIAVARI G. & FABBRI D. (2004) - *Soiling of limestone in an urban environment characterized by heavy vehicular exhaust emissions*. *Environmental Geology*, **46** (3 - 4), 448–455.
- SCHMID J. & FLAMMER I. (2002) - *How grey limestones become white marbles*. *European Journal of Mineralogy*, **14** (4), 837–848.
- SCHMID S.M., PATERSON M.S. & BOLAND J.N. (1980) - *High temperature flow and dynamic recrystallization in Carrara marble*. *Tectonophysics*, **65**, 245–280.
- SGLAVO V.M., BOSETTI P., TRENTINI E. & CESCHINI M. (1999) - *Sandwiched-beam procedure for precracking brittle materials*. *Journal of the American Ceramic Society*, **82** (8), 2269–2272.
- SHAN R.L., JIANG Y.S. & LI B.Q. (2000) - *Obtaining dynamic complete stress-strain curves for rock using the Split Hopkinson Pressure Bar technique*. *International Journal of Rock Mechanics and Mining Sciences*, **37** (6), 983–992.
- SHAO J.F. & RUDNICKI J.W. (2000) - *A microcrack-based continuous damage model for brittle geomaterials*. *Mechanics of Materials*, **32** (10), 607–619.
- SHUSHAKOVA V., FULLER EDWIN R. J. & SIEGESMUND S. (2011) - *Influence of shape fabric and crystal texture on marble degradation phenomena; simulations*. *Environmental Earth Sciences*, **63** (7-8), 1587 – 1601.  
URL <http://dx.doi.org/10.1007/s12665-010-0744-7>
- SIEDEL H. & SIEGESMUND S. (2011) - *Characterisation of stone deterioration on buildings*. In: S. SIEGESMUND & R. SNETHLAGE (Eds.), *Stone in Architecture: Properties, Durability*, pp. 347–410. Springer, Berlin.
- SIEGESMUND S. (1996) - *The significance of rock fabrics for the geological interpretation of geophysical anisotropies*. *Geotektonische Forschungen*, **85**, 1–123.
- SIEGESMUND S., KOCH A. & RUEDRICH J. (2007) - *Fassadenplatten aus Marmor; Verwitterungsdynamik und Verbiegungspotentiale*. *Zeitschrift der Deutschen Gesellschaft fuer Geowissenschaften*, **158** (3), 631 – 647. Bowing;cladding;University of Gottingen;.  
URL <http://dx.doi.org/10.1127/1860-1804/2007/0158-0631>
- SIEGESMUND S., KRACKE T., RUEDRICH J. & SCHWARZBURG R. (2010) - *Jewish cemetery in Hamburg Altona (Germany); state of marble deterioration and provenance*. *Engineering Geology*, **115** (3-4), 200 – 208. Altona Germany;.  
URL <http://dx.doi.org/10.1016/j.enggeo.2009.07.008>
- SIEGESMUND S., MOSCH S., SCHIEFFZUK C. & NIKOLAYEV D.I. (2008a) - *The bowing potential of granitic rocks; rock fabrics, thermal properties and residual strain*. *Environmental Geology (Berlin)*, **55** (7), 1437 – 1448. Bowing potential;Cezlak Granodiorite;Pohorke Massif;.  
URL <http://dx.doi.org/10.1007/s00254-007-1094-y>
- SIEGESMUND S., RUEDRICH J. & KOCH A. (2008b) - *Marble bowing; comparative studies of three different public building facades*. *Environmental Geology (Berlin)*, **56** (3-4), 473 – 494.  
URL <http://dx.doi.org/10.1007/s00254-008-1307-z>
- SIEGESMUND S., ULLEMAYER K., WEISS T. & TSCHIEGG E.K. (2000) - *Physical weathering of marbles caused by anisotropic thermal expansion*. *International Journal of Earth Sciences*, **89** (1), 170 – 182.

- SIEGESMUND S., VILES H. & WEISS T. (2004) - *Stone decay hazards*. Environmental Geology (Berlin), **46** (3-4), 303 -. High speed thermal neutron tomography;. URL <http://dx.doi.org/10.1007/s00254-004-1032-1>
- SIEGESMUND S., VOLLBRECHT A., ULLEMEYER K., WEISS T. & SOBOTT R. (1997) - *Application of geological fabric analyses for the characterization of natural building stones - case study Kauffung marble*. International Journal for Restoration of Buildings and Monuments, **3**, 269–292.
- SIEGESMUND S., WEISS T., VOLLBRECHT A. & ULLEMEYER K. (1999) - *Marble as a natural building stone; rocks fabrics, physical and mechanical properties*. Zeitschrift der Deutschen Geologischen Gesellschaft, **150** (2), 237 – 257.
- SIPPEL J., SIEGESMUND S., WEISS T., NITSCH K.H. & KORZEN M. (2007) - *Decay of natural stones caused by fire damage*. Geological Society Special Publications, **271**, 139 – 151.
- SORACE S. (1998) - *Time-delayed rupture of stones under low tensile and bending stress states*. Materials and Structures/Materiaux et Constructions, **31** (210), 428–432.
- STEIGER M. & CHAROLA A.E. (2011) - *Weathering and deterioration*. In: S. SIEGESMUND & R. SNETHLAGE (Eds.), *Stone in Architecture: Properties, Durability*, pp. 227–316. Springer-Verlag, Berlin.
- TUBIA J.M., CUEVAS J. & GIL IBARGUCHI J.I. (1997) - *Sequential development of the metamorphic aureole beneath the Ronda peridotites and its bearing on the tectonic evolution of the Betic Cordillera*. Tectonophysics, **279**, 227–252.
- TVERGAARD V. & HUTCHINSON J. (1988) - *Microcracking in ceramics induced by thermal expansion or elastic anisotropy*. Journal of the American Ceramic Society, **71**, 157–166.
- ULLEMEYER K., SIEGESMUND S., RASOLOFOSON P.N.J. & BEHRMANN J.H. (2006) - *Experimental and texture-derived P-wave anisotropy of principal rocks from the TRANSALP traverse; an aid for the interpretation of seismic field data*. Tectonophysics, **414** (1-4), 97 – 116. TRANSALP;. URL <http://dx.doi.org/10.1016/j.tecto.2005.10.024>
- UNTERWURZACHER M. & MIRWALD P.W. (2008) - *Initial stages of carbonate weathering; climate chamber studies under realistic pollution conditions*. Environmental Geology (Berlin), **56** (3-4), 507 – 519. URL <http://dx.doi.org/10.1007/s00254-008-1440-8>
- URAI J. (1989) - *High temperature deformation of wet and dry Carrara marble*. EOS (Am. Geoph. Un. Trans.), **70**, 1380.
- VARDOULAKIS I., KOURKOULIS S.K., EXADAKTYLOS G.E. & ROSAKIS A. (2002) - *Mechanical properties and compatibility of natural building stones in ancient monuments: Dionysos Marble*. In: M. VARTI-MATARANGAS & Y. KATSIKIS (Eds.), *Proceedings of the Interdisciplinary Workshop “The building stone in monuments”, Athens November 2001*, pp. 187–210. IGME Publishing, Athens.
- VAZQUEZ P., SIEGESMUND S. & ALONSO F.J. (2011) - *Bowing of dimensional granitic stones*. Environmental Earth Sciences, **63** (7-8), 1603 – 1612. Bowing;. URL <http://dx.doi.org/10.1007/s12665-010-0882-y>
- VERGESBELMIN V. (1994) - *Pseudomorphism of Gypsum After Calcite, a New Textural Feature Accounting For the Marble Sulfation Mechanism*. Atmospheric Environment, **28** (2), 295–304.
- WEISS T., LEISS B., OPPERMAN H. & SIEGESMUND S. (1999) - *Microfabric of fresh and weathered marbles; implications and consequences for the reconstruction of the Marmorpalais Potsdam*. Zeitschrift der Deutschen Geologischen Gesellschaft, **150** (2), 313 – 332.
- WEISS T., RASOLOFOSON P.N.J. & SIEGESMUND S. (2001) - *Thermal microcracking in Carrara Marble*. Zeitschrift der Deutschen Geologischen Gesellschaft, **152** (2-4), 621 – 636.
- WEISS T., RASOLOFOSON P.N.J. & SIEGESMUND S. (2002a) - *Ultrasonic wave velocities as a diagnostic tool for the quality assessment of marble*. Geological Society Special Publications, **205**, 149 – 164.
- WEISS T., SIEGESMUND S. & FULLER E.R. (2003) - *Thermal degradation of marble: indications from finite-element modelling*. Building and Environment, **38** (9-10), 1251–1260.
- WEISS T., SIEGESMUND S. & FULLER EDWIN R. J. (2002b) - *Thermal stresses and microcracking in calcite and dolomite marbles via finite element modelling*. In: S. SIEGESMUND, T. WEISS & A. VOLLBRECHT (Eds.), *Natural Stone, Weathering Phenomena, Conservation Strategies and Case Studies, Geological Society Special Publications*, vol. 205, pp. 89–102. The Geological Society of London.
- WEISS T., SIEGESMUND S., KIRCHNER D. & SIPPEL J. (2004) - *Insolation weathering and hygric dilatation; two competitive factors in stone degradation*. Environmental Geology, **46** (3-4), 402 – 413.
- WIDHALM C., TSCHIEGG E. & EPPENSTEINER W. (1996) - *Anisotropic thermal expansion causes deformation of marble cladding*. Journal of Performance of Constructed Facilities, **10**, 5–10.

- WIDHALM C., TSCHEGG E. & EPPENSTEINER W. (1997) - *Acoustic emission and anisotropic expansion when heating marble*. Journal of Performance of Constructed Facilities, **ASCE 11**, 35–40.
- WINKLER E.M. (1996) - *Properties of marble as building veneer*. International Journal of Rock Mechanics and Mining Sciences, **33** (2), 215–218.
- YAVUZ H., DEMIRDAG S. & CARAN S. (2010) - *Thermal effect on the physical properties of carbonate rocks*. International Journal of Rock Mechanics and Mining Sciences, **47** (1), 94–103.
- YOUNG R.J. & VEASEY T.J. (2000) - *Application of the ring-loaded strength (RLS) disc test to monitor the effects of thermal pre-treatments on ore grindability*. Minerals Engineering, **13** (7), 783–787.
- ZANARDINI E., ABBRUSCATO P., GHEDINI N., REALINI M. & SORLINI C. (2000) - *Influence of atmospheric pollutants on the biodeterioration of stone*. International Biodeterioration & Biodegradation, **45** (1-2), 35–42.
- ZEISIG A., SIEGESMUND S. & WEISS T. (2002) - *Thermal expansion and its control on the durability of marbles*. In: S. SIEGESMUND, T. WEISS & A. VOLLBRECHT (Eds.), *Natural Stone, Weathering Phenomena, Conservation Strategies and Case Studies, Geological Society Special Publications*, vol. 205, pp. 65–80. Geological Society of London.
- ZHANG S.Q., COX S.F. & PATERSON M.S. (1994) - *The influence of room-temperature deformation on porosity and permeability in calcite aggregates*. Journal of Geophysical Research, **99** (B8), 15761–15775.
- ZHANG Z.X., KOU S.Q., JIANG L.G. & LINDQVIST P.A. (2000) - *Effects of loading rate on rock fracture: fracture characteristics and energy partitioning*. International Journal of Rock Mechanics and Mining Sciences, **37** (5), 745–762.
- ZHANG Z.X., YU J., KOU S.Q. & LINDQVIST P.A. (2001) - *Effects of high temperatures on dynamic rock fracture*. International Journal of Rock Mechanics and Mining Sciences, **38** (2), 211–225.
- ZHU W. & WONG T.F. (1999) - *Network modeling of the evolution of permeability and dilatancy in compact rock*. Journal of Geophysical Research, **104** (2), 2963–2971.